



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : TANET SR 15 2x5 I
UFI : 8501-207M-100K-69X7
Identification number : 61268, 64791

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

112
Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342
+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture according to Regulation (EC) No. 1272/2008.

Safety data sheet available on request.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Chemical nature : Aqueous surfactant solution.

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

ethanol	64-17-5 200-578-6 01-2119457610-43	Flam. Liq. 2; H225 Eye Irrit. 2; H319 SCL >= 50 % 2; H319	>= 2 - < 5
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	>= 2,5 - < 3
Alcohols, C10-16, ethoxylated propoxylated	69227-22-1	Eye Dam. 1; H318 Acute Tox. 4; H302 SCL 1 - 10,0 % 2; H319 > 10,0 % 1; H318	>= 1 - < 2
D-Glucopyranose, oligomers, decyl octyl glycosides	68515-73-1 01-2119488530-36	Eye Dam. 1; H318 SCL > 10 % 1; H318 10 % 2; H319	>= 1 - < 2
1-phenoxypropan-2-ol	770-35-4 212-222-7 01-2119486566-23	Eye Irrit. 2; H319	>= 1 - < 2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

4.2 Most important symptoms and effects, both acute and delayed

Symptoms : No information available.

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Sweep up and shovel.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice required.

For personal protection see section 8. No special handling advice required. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed. Protect from frost.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

ethanol
64-17-5: : End Use: Workers
Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 1900 mg/m³

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 950 mg/m³

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 343 mg/kg



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Acute local effects
Value: 950 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 206 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 114 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 87 mg/kg

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Acute local effects
Value: 950 mg/m³

Alcohols, C12-14, ethoxylated, sulfates, sodium salts : End Use: Workers
68891-38-3: Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 2750 mg/kg bw/day

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 175 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 1650 mg/kg bw/day

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 52 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 15 mg/kg

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,132 mg/cm²

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,079 mg/cm²



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

**D-Glucopyranose, oligomers,
decyl octyl glycosides
68515-73-1:**

: End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 595000 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 420 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 357000 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 124 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 35,7 mg/kg

**1-phenoxypropan-2-ol
770-35-4:**

: End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 42 mg/kg bw/day

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 25,7 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 21 mg/kg bw/day

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 3,65 mg/kg bw/day

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term exposure, Systemic effects
Value: 12,7 mg/m³

PNEC

**ethanol
64-17-5:**

: Fresh water
Value: 0,96 mg/l

Marine water
Value: 0,79 mg/l

Fresh water sediment
Value: 3,6 mg/kg



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

	Soil Value: 0,63 mg/kg
	STP Value: 580 mg/l
	intermittent release Value: 2,75 mg/l
Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:	: Fresh water Value: 0,24 mg/l
	Marine water Value: 0,024 mg/l
	STP Value: 10000 mg/l
	intermittent release Value: 0,071 mg/l
	Fresh water sediment Value: 5,45 mg/kg
	Marine sediment Value: 0,545 mg/kg
	Soil Value: 0,946 mg/kg dry weight (d.w.)
D-Glucopyranose, oligomers, decyl octyl glycosides 68515-73-1:	: Fresh water Value: 0,176 mg/l
	Marine water Value: 0,0176 mg/l
	intermittent release Value: 0,27 mg/l
	STP Value: 560 mg/l
	Fresh water sediment Value: 1,516 mg/kg
	Marine sediment Value: 0,152 mg/kg
	Soil Value: 0,654 mg/kg
1-phenoxypropan-2-ol 770-35-4:	: Fresh water Value: 0,1 mg/l
	Marine water Value: 0,01 mg/l
	Fresh water sediment Value: 0,38 mg/kg



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

Marine sediment
Value: 0,038 mg/kg

Soil
Value: 0,02 mg/kg

STP
Value: 10 mg/l

intermittent release
Value: 1 mg/l

8.2 Exposure controls

Personal protective equipment

Eye protection : not required under normal use

Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves.
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4 mm).
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid
Colour : blue
Odour : characteristic
Odour Threshold : No data available
pH : ca. 8,6, 100 %
at 20 °C



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

Melting point/range	: No data available
Boiling point/boiling range	: No data available
Flash point	: 60,1 °C
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: Not classified as supporting combustion according to the transport regulations.
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,005 g/cm ³ at 20 °C
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

10.4 Conditions to avoid

Conditions to avoid : Protect from frost.

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.

Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Our company is strongly against animal testing.

Our company does not place any orders for animal testing for the finished product or the ingredients. However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Product

Skin corrosion/irritation : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.

Serious eye damage/eye irritation : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Aspiration toxicity : Not Rated

Further information : No data available

Components:

ethanol

64-17-5:

Acute oral toxicity : LD50 Oral Rat: 10.470 mg/kg



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

- Method: OECD Test Guideline 401
- LD50 Rat: 5.000 mg/kg
Method: OECD Test Guideline 401
- Acute inhalation toxicity : LC50 Rat: 51 mg/l
Exposure time: 4 h
- Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg
Method: OECD Test Guideline 402
- LD50 Dermal Rabbit: > 10.000 mg/kg
Method: OECD Test Guideline 402
- Skin corrosion/irritation : Species: Rabbit
Result: No skin irritation
Method: OECD Test Guideline 404
- Serious eye damage/eye irritation : Species: Rabbit
Result: Mild eye irritation
Method: OECD Test Guideline 405
- Respiratory or skin sensitisation : Species: Mouse
Result: Does not cause skin sensitisation.
Method: see user defined free text
- Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: 5.200 mg/kg
- Species: Rat
Application Route: Oral
NOAEL: 13.800 mg/kg
- Species: Rat
Application Route: Inhalation
NOAEL: 30400 mg/m3
- Repeated dose toxicity : Rat, male: NOAEL: > 20 mg/kg
- Method: OECD Test Guideline 403
- Rat, female: NOAEL: 1.730 mg/kg
- Method: OECD Test Guideline 408

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

- Acute oral toxicity : LD50 Oral Rat: 2.870 mg/kg
Method: OECD Test Guideline 401
- LD50 Rat: 7.400 mg/kg
Method: OECD Test Guideline 401



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

- Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes
- Skin corrosion/irritation : Species: Rabbit
Method: OECD Test Guideline 404
- Serious eye damage/eye irritation : Species: Rabbit
Method: OECD Test Guideline 405
- Respiratory or skin sensitisation : Result: Does not cause skin sensitisation.
- Germ cell mutagenicity
- Genotoxicity in vitro : Result: negative
Method: OECD Test Guideline 471
- Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: > 300 mg/kg,
F1: > 300 mg/kg, Method: OECD Test Guideline 416
- Teratogenicity : Species: Rat
Application Route: Oral
>1.000 mg/kg
> 1.000 mg/kg
Method: OECD Test Guideline 414
- Repeated dose toxicity : NOAEL: 300 mg/kg
- STOT - repeated exposure : Exposure routes: Ingestion
Target Organs: Liver

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

- Acute oral toxicity : LD50 Oral : 1.800 mg/kg
- Skin corrosion/irritation : Result: Mild skin irritation
Method: OECD Test Guideline 404
According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
- Serious eye damage/eye irritation : Result: Risk of serious damage to eyes.
Method: OECD Test Guideline 405

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

- Acute oral toxicity : LD50 Rat: > 5.000 mg/kg
Method: OECD Test Guideline 401



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

Acute dermal toxicity	: Rabbit: > 2.000 mg/kg Method: OECD Test Guideline 402
Skin corrosion/irritation	: Species: Rabbit Result: Mild skin irritation Method: OECD Test Guideline 404
Serious eye damage/eye irritation	: Species: Rabbit Result: Irreversible effects on the eye Method: OECD Test Guideline 405
Respiratory or skin sensitisation	: Species: Guinea pig Result: Does not cause skin sensitisation. Method: OECD Test Guideline 406
Germ cell mutagenicity	
Genotoxicity in vitro	: Type: Ames test Result: negative Method: OECD Test Guideline 471

1-phenoxypropan-2-ol 770-35-4:

Acute oral toxicity	: LD50 Rat: > 2.000 mg/kg
Acute inhalation toxicity	: LC50 Rat: 5,4 mg/l Exposure time: 4 h Test atmosphere: dust/mist
Acute dermal toxicity	: LD50 Rabbit: > 2.000 mg/kg
Serious eye damage/eye irritation	: Result: Eye irritation

SECTION 12: Ecological information

12.1 Toxicity

Components:

ethanol 64-17-5:

Toxicity to fish	: LC50 (Oncorhynchus mykiss (rainbow trout)): 13 g/l Exposure time: 96 h Method: OECD Test Guideline 203
	LC50 (Leuciscus idus (Golden orfe)): 8.150 mg/l Exposure time: 48 h
	LC50 (Pimephales promelas (fathead minnow)): > 0,1 g/l Exposure time: 96 h
	LC50 (Fish): 11.200 mg/l
Toxicity to daphnia and other	: EC50 (Daphnia magna (Water flea)): 12.340 mg/l



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

- aquatic invertebrates Exposure time: 48 h
EC50 : 5.012 mg/l
- Toxicity to algae : EC50 (Chlorella vulgaris (Fresh water algae)): 275 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- EC50 (Scenedesmus capricornutum (fresh water algae)): 12.900 mg/l
Exposure time: 48 h
Test Type: Growth inhibition
Method: No information available.
- EC0 (Scenedesmus quadricauda (Green algae)): 5.000 mg/l
Exposure time: 168 h
- EC50 : 4.432 mg/l
- EC10 : 11,5 mg/l
- EC10 : 280 mg/l
- Toxicity to bacteria : EC50 (Pseudomonas putida): 11.800 mg/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test

Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:

- Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes
- LC50 (Fish): > 1 - 10 mg/l
Test Type: semi-static test
Method: OECD Test Guideline 203
- LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l
Method: OECD Test Guideline 203
- NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
Exposure time: 28 d
Test Type: flow-through test
Method: OECD Test Guideline 204
- LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l
Test Type: flow-through test
Method: OECD Test Guideline 203
- LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l
Exposure time: 48 h
Test Type: Immobilization
Method: OECD Test Guideline 202



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

- EC50 (*Daphnia magna* (Water flea)): > 1 - 10 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202
- NOEC (*Daphnia magna* (Water flea)): 0,27 mg/l
Exposure time: 21 d
Test Type: flow-through test
Method: OECD Test Guideline 211
- (*Daphnia magna* (Water flea)): 7,2 mg/l
Exposure time: 48 h
- Toxicity to algae : EC50 (*Desmodesmus subspicatus* (green algae)): 27,7 mg/l
Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201
GLP: yes
- EC50 (*Scenedesmus subspicatus*): 10 - 100 mg/l
Method: OECD Test Guideline 201
- EC50 (*Desmodesmus subspicatus* (green algae)): > 10 - 100 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
- NOEC : 0,95 mg/l
Test Type: Growth inhibition
Method: OECD Test Guideline 201
- NOEC (*Desmodesmus subspicatus* (green algae)): 0,93 mg/l
Exposure time: 72 h
Test Type: static test
Method: OECD Test Guideline 201
- Toxicity to bacteria : EC50 (*Pseudomonas putida*): > 10 g/l
Exposure time: 16 h
Test Type: Cell multiplication inhibition test
Method: DIN 38412
GLP: yes
- EC10 (*Pseudomonas putida*): > 10 g/l
Test Type: Cell multiplication inhibition test
GLP:
- Toxicity to fish (Chronic toxicity) : NOEC: 1,2 mg/l
- NOEC: 1 - 10 mg/l
Species: *Leuciscus idus* (Golden orfe)
- NOEC: 0,14 mg/l
Exposure time: 28 d
Species: *Oncorhynchus mykiss* (rainbow trout)
Method: OECD Test Guideline 204
- Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: *Daphnia magna* (Water flea)
Method: OECD Test Guideline 211



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

Toxicity to soil dwelling organisms : NOEC: 750 mg/kg
Exposure time: 96 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222

Alcohols, C10-16, ethoxylated propoxylated 69227-22-1:

Toxicity to fish : LC50 (Brachydanio rerio): > 1 - 10 mg/l
Test Type: semi-static test
Method: ISO 7346/2

Toxicity to bacteria : EC0 (Pseudomonas putida): > 100 mg/l
Method: OECD Test Guideline 209

D-Glucopyranose, oligomers, decyl octyl glycosides 68515-73-1:

Toxicity to fish : LC50 (Brachydanio rerio (zebrafish)): 100,81 mg/l
Exposure time: 96 h

NOEC (Brachydanio rerio (zebrafish)): 1,8 mg/l

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): > 100 mg/l
Exposure time: 48 h

NOEC (Daphnia magna (Water flea)): 1,0 mg/l

Toxicity to algae : EC50 (Scenedesmus subspicatus): 27,22 mg/l
Exposure time: 72 h

1-phenoxypropan-2-ol 770-35-4:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): > 220 - 460 mg/l
Exposure time: 96 h

LC50 (Pimephales promelas (fathead minnow)): 280 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : LC50 (Daphnia magna (Water flea)): 370 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae : EC50 (Desmodesmus subspicatus (green algae)): > 100 mg/l
Exposure time: 72 h
Test Type: static test

EC50 (Desmodesmus subspicatus (green algae)): 74,5 mg/l
Exposure time: 72 h

Toxicity to bacteria : EC50 (Bacteria): > 1.000 mg/l
Exposure time: 17 h

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

(EC) No. 648/2004 on detergents.

Components:

ethanol

64-17-5:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Method: OECD Test Guideline 301

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

Test Type: anaerobic
Result: Biodegradable
Biodegradation: > 60 %
Exposure time: 41 d

Alcohols, C10-16, ethoxylated propoxylated

69227-22-1:

Biodegradability : Remarks: Readily biodegradable, according to appropriate OECD test., The surfactant(s) contained in this mixture complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No.648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

D-Glucopyranose, oligomers, decyl octyl glycosides

68515-73-1:

Biodegradability : Result: rapidly biodegradable
Biodegradation: 100 %
Exposure time: 28 d
Method: OECD 301 E

1-phenoxypropan-2-ol

770-35-4:

Biodegradability : Biodegradation: 72 %
Exposure time: 28 d
Method: OECD 301 F

12.3 Bioaccumulative potential

Components:

ethanol

64-17-5:

Bioaccumulation : Concentration: 3,2 mg/l

Partition coefficient: n-octanol/water : log Pow: -0,32

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

1-phenoxypropan-2-ol 770-35-4:

Bioaccumulation : Remarks: Due to the distribution coefficient n-octanol/water, accumulation in organisms is not expected.

12.4 Mobility in soil

Components:

ethanol

64-17-5:

Distribution among environmental compartments : Koc: 1Remarks: Highly mobile in soils

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among environmental compartments : Adsorption/Soil Medium:Soil Koc: 191Method: see user defined free text

12.5 Results of PBT and vPvB assessment

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: : portionClass 3: < 0,01 %
: Organic Substances: : portionClass 1: 0,09 %
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable
: Toxic to reproduction: Not applicable

Volatile organic compounds : Directive 2010/75/EU of 24 November 2010 on industrial emissions



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

(VOC) content	(integrated pollution prevention and control) Update: Percent volatile: 2,9 % 236,63 g/l VOC content excluding water
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 2,9 % 29,12 g/l VOC content valid only for coating materials used on wood surfaces
according to Detergents Regulation EC 648/2004	: <5% Anionic surfactants, Non-ionic surfactants, soap, Perfumes, PHENOXYETHANOL
GISBAU (D)	: GU 55

15.2 Chemical safety assessment

There is no data available for this product.

SECTION 16: Other information

Full text of H-Statements

H225	Highly flammable liquid and vapour.
H302	Harmful if swallowed.
H315	Causes skin irritation.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H412	Harmful to aquatic life with long lasting effects.

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No



TANET SR 15 2x5 I

WM 0712480

Order number: 0712480

Version 12.4

Revision Date 11.10.2021

Print Date 13.08.2022

Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000002785