



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : APESIN SANFIZZ 10X750 ML
UFI :

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Biocidal product
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

112
Centru za kontrolu otrovanja u Zagrebu na tel. (01) 2348 342
+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Skin irritation, Category 2 H315: Causes skin irritation.

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H315 Causes skin irritation.
H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

Prevention:

P260 Do not breathe spray.
P280 Wear protective gloves/ eye protection/ face protection.

Response:

P302 + P352 IF ON SKIN: Wash with plenty of water.
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P312 Call a POISON CENTER/ doctor if you feel unwell.

Disposal:

P501 Dispose of container into the collection of recyclables only when it is completely empty.

Safety data sheet available on request.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Components

Chemical name	CAS-No. EC-No. Index-No. Registration number	Classification	Concentration (% w/w)
methanesulphonic acid	75-75-2 200-898-6 607-145-00-4 01-2119491166-34	Skin Corr. 1B; H314 Met. Corr. 1; H290 Acute Tox. 4; H302 Acute Tox. 4; H312 STOT SE 3; H335 Eye Dam. 1; H318 specific concentration limit Skin Corr. 1B; H314 5 - 100 % Eye Dam. 1; H318 3 - < 5 % Skin Irrit. 2; H315 3 - < 5 % Eye Irrit. 2; H319 1 - < 3 % Skin Irrit. 2; H315 1 - < 3 %	>= 1 - < 2
Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts	SODIUM C14-16 OLEFIN SULFONATE 270-407-8931-534-0 01-2119513401-57	Skin Irrit. 2; H315 Eye Dam. 1; H318 specific concentration limit Skin Irrit. 2; H315 >= 5 % Eye Irrit. 2; H319 > 5 - 38 %	>= 1 - < 2



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

		Eye Dam. 1; H318 > 38 %	
l-(+)-lactic acid	LACTIC ACID 201-196-2 01-2119474164-39	Skin Corr. 1C; H314 Eye Dam. 1; H318 specific concentration limit Skin Irrit. 2; H315 3 - < 5 % Eye Dam. 1; H318 >= 3 % Eye Irrit. 2; H319 1 - < 3 % Skin Corr. 1C; H314 >= 5 %	>= 1 - < 2
1-butoxypropan-2-ol	BUTOXYPROPANOL 225-878-4 603-052-00-8 01-2119475527-28	Eye Irrit. 2; H319 Skin Irrit. 2; H315 specific concentration limit Eye Irrit. 2; H319 > 20 % Skin Irrit. 2; H315 > 20 %	>= 1 - < 2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : Irritation



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons Information Service.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and material for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

SECTION 7: Handling and storage

7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes.
For personal protection see section 8.
Smoking, eating and drinking should be prohibited in the application area.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.
- Further information on storage stability : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

- Specific use(s) : Biocidal product

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

8.2 Exposure controls

Personal protective equipment

- Eye protection : If splashes are likely to occur, wear:
Tightly fitting safety goggles
- Hand protection
- Material : For prolonged or repeated contact use protective gloves.
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.
- Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).
- Skin and body protection : not required under normal use
- Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance	: liquid
Colour	: light red
Odour	: odourized
Odour Threshold	: No data available
pH	: ca. 0,9, at 20 °C
Melting point/range	: No data available
Boiling point/boiling range	: No information available.
Flash point	: does not flash
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Flammability (liquids)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,011 g/cm ³ at 20 °C
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: No data available
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions.
No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions.
No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

Our company is strongly against animal testing.
Our company does not place any orders for animal testing for the finished product or the ingredients.
However, as a result of EU legislation (REACH Regulation), the manufacturers of ingredients or EU importers are obliged to test ingredients with regard to their effects on human health and the environment before they are brought onto the market. Some of the tests made necessary by this took place decades ago.

Acute toxicity

Product:

Acute oral toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Acute dermal toxicity : Acute toxicity estimate: > 2.000 mg/kg
Method: Calculation method

Components:

methanesulphonic acid

75-75-2:

Acute oral toxicity : LD50 (Rat): 200 mg/kg
LD50 (Rat): 649 mg/kg

Acute inhalation toxicity : LC0 (Mouse): > 1,88 mg/l
Exposure time: 1 h
LC0 (Rat): 0,74 mg/l
Exposure time: 6 h



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

Acute dermal toxicity : LD50 (Rabbit): > 1.000 - 2.000 mg/kg

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

SODIUM C14-16 OLEFIN SULFONATE:

Acute oral toxicity : LD50 Oral (Rat): > 2.000 mg/kg
Method: OECD Test Guideline 401

Acute inhalation toxicity : LC50 (Rat): 52 mg/l
Exposure time: 4 h
Method: OECD Test Guideline 403

Acute dermal toxicity : LD50 Dermal (Rabbit): 6.300 mg/kg
Method: OECD Test Guideline 402

I-(+)-lactic acid

LACTIC ACID:

Acute oral toxicity : LD50 (Mouse): 4.875 mg/kg
LD50 Oral (Guinea pig): 1.810 mg/kg
LD50 Oral (Rat, female): 3.543 mg/kg
LD50 Oral (Rat, male): 4.936 mg/kg

Acute inhalation toxicity : LC50 (Rat, male and female): 7,94 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 (Rabbit): > 2.000 mg/kg

1-butoxypropan-2-ol

BUTOXYPROPANOL:

Acute oral toxicity : LD50 Oral (Rat, male and female): 3.300 mg/kg
Method: see user defined free text

LD50 (Rat): > 2.000 mg/kg

Acute inhalation toxicity : LC50 (Rat): 651 mg/l
Exposure time: 4 h

Acute dermal toxicity : LD50 Dermal (Rabbit): > 2.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation

Product:

Remarks : May cause skin irritation and/or dermatitis.

Components:

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

SODIUM C14-16 OLEFIN SULFONATE:

Species : Rabbit
Method : OECD Test Guideline 404
Result : Irritating to skin.



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

I-(+)-lactic acid

LACTIC ACID:

Species : Rabbit
Result : Irritating to skin.

Serious eye damage/eye irritation

Product:

Remarks : Vapours may cause irritation to the eyes, respiratory system and the skin.
Causes serious eye irritation.

Components:

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

SODIUM C14-16 OLEFIN SULFONATE:

Species : Rabbit
Method : OECD Test Guideline 405
Result : Risk of serious damage to eyes.

I-(+)-lactic acid

LACTIC ACID:

Species : Chicken eye
Result : Causes serious eye damage.

Respiratory or skin sensitisation

Product:

Remarks : No data available

Components:

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

SODIUM C14-16 OLEFIN SULFONATE:

Species : Guinea pig
Method : OECD Test Guideline 406
Result : Did not cause sensitisation on laboratory animals.

I-(+)-lactic acid

LACTIC ACID:

Species : Guinea pig
Result : Not a skin sensitizer.

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

Reproductive toxicity : Not Rated

STOT - single exposure : The substance or mixture is not classified as specific target organ



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

toxicant, single exposure.

STOT - repeated exposure : The substance or mixture is not classified as specific target organ toxicant, repeated exposure.

Repeated dose toxicity

Components:

Sulfonic acids, C14-16-alkane hydroxy and C14-16-alkene, sodium salts

SODIUM C14-16 OLEFIN SULFONATE:

Species : Rat
NOAEL : 259 mg/kg
Application Route : Dermal
Exposure time : 2 Years

I-(+)-lactic acid

LACTIC ACID:

Species : Rat
LOAEL : 886 mg/kg
Application Route : Dermal

Application Route : Oral

Aspiration toxicity : Not Rated

11.2 Information on other hazards

Further information

Product:

Remarks : No data available

SECTION 12: Ecological information

12.1 Toxicity

Components:

75-75-2:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): 10 - 100 mg/l
Exposure time: 96 h
Test Type: static test
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 10 - 100 mg/l
Exposure time: 48 h
Test Type: static test
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : EC50 (Scenedesmus capricornutum (fresh water algae)): 10 - 100 mg/l



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

Exposure time: 72 h
Test Type: Growth inhibition
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 : 10 - 100 mg/l
Exposure time: 72 h
Method: see user defined free text
Remarks: see user defined free text

SODIUM C14-16 OLEFIN SULFONATE:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 4,2 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : (Daphnia magna (Water flea)): 4,53 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202

Toxicity to algae/aquatic plants : (Skeletonema costatum (marine diatom)): 5,2 mg/l
Exposure time: 72 h
Method: OECD Test Guideline 201

Toxicity to microorganisms : EC50 (Bacteria): 230 mg/l
Method: OECD Test Guideline 209

Sediment toxicity : 2025 mg/l
Duration: 10 d

LACTIC ACID:

Toxicity to fish : LC50 (Lepomis macrochirus (Bluegill sunfish)): 130 mg/l
Exposure time: 96 h

LC50 (Danio rerio (zebra fish)): 320 mg/l
Exposure time: 48 h

LC50 (Oncorhynchus mykiss (rainbow trout)): 130 mg/l
Exposure time: 96 h

LC50 (Danio rerio (zebra fish)): 195 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203
GLP: yes

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 130 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
GLP: yes

EC50 (Daphnia pulex (Water flea)): 240 mg/l
Exposure time: 48 h

EC50 (Daphnia magna (Water flea)): 250 mg/l



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

- Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (*Scenedesmus capricornutum* (fresh water algae)): 3.500 mg/l
- ErC50 (*Pseudokirchneriella subcapitata* (microalgae)): 2.800 mg/l
Exposure time: 72 h
- EC50 (*Pseudokirchneriella subcapitata* (algae)): > 2.800 mg/l
Exposure time: 72 h
- NOEC (*Pseudokirchneriella subcapitata* (green algae)): 1.900 mg/l
Exposure time: 70 h
- Toxicity to microorganisms : EC50 (activated sludge): > 100 mg/l
Exposure time: 3 h
- Toxicity to fish (Chronic toxicity) : Lowest Observed Effect Concentration: 2,18 mg/l
Exposure time: 90 d
Species: Fish
- Toxicity to terrestrial organisms : LC50: 2.250 mg/kg>
Exposure time: 14 d
Species: *Colinus virginianus* (Bobwhite quail)

BUTOXYPROPANOL:

- Toxicity to fish : LC50 (*Poecilia reticulata* (guppy)): 560 - 1.000 mg/l
Exposure time: 96 h
- NOEC (*Poecilia reticulata* (guppy)): 180 mg/l
Exposure time: 96 h
- LC50 (Fish): 1.000 mg/l
Exposure time: 96 h
- LC50 (*Pimephales promelas* (fathead minnow)): > 100 mg/l
Exposure time: 96 h
- Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): > 1.000 mg/l
Exposure time: 48 h
Method: OECD Test Guideline 202
- NOEC (*Daphnia magna* (Water flea)): 560 mg/l
Exposure time: 48 h
- Toxicity to algae/aquatic plants : EC50 (*Pseudokirchneriella subcapitata* (microalgae)): > 1.000 mg/l
Exposure time: 96 h
Test Type: Cell multiplication inhibition test
- NOEC (*Selenastrum capricornutum*): 560 mg/l



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

Exposure time: 96 h

Toxicity to microorganisms : EC50 (Bacteria): > 1.000 mg/l
Exposure time: 3 h
Method: OECD Test Guideline 209

12.2 Persistence and degradability

Components:

75-75-2:

Biodegradability : Result: rapidly biodegradable
Biodegradation: > 99 %
Exposure time: 28 d

SODIUM C14-16 OLEFIN SULFONATE:

Biodegradability : Biodegradation: > 80 %
Method: OECD 301 B
Remarks: According to the results of tests of biodegradability
this product is considered as being readily biodegradable.

Chemical Oxygen Demand (COD) : 790 mg/g

Dissolved organic carbon (DOC) : 190 mg/g

LACTIC ACID:

Biodegradability : Result: rapidly biodegradable

Biochemical Oxygen Demand (BOD) : 450 mg/g
Incubation time: 5 d

600 mg/g
Incubation time: 20 d

Chemical Oxygen Demand (COD) : 900 mg/g

ThOD : 1.067 mg/g

BUTOXYPROPANOL:

Biodegradability : Biodegradation: 90 %
Exposure time: 28 d
Method: OECD 301 E
Remarks: Readily biodegradable, according to appropriate
OECD test.



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

12.3 Bioaccumulative potential

Components:

75-75-2:

Partition coefficient: n-
octanol/water : log Pow: -2,38

BUTOXYPROPANOL:

Bioaccumulation : Bioconcentration factor (BCF): < 100
Remarks: Does not bioaccumulate.

Partition coefficient: n-
octanol/water : log Pow: 3,2

12.4 Mobility in soil

Components:

75-75-2:

Distribution among
environmental compartments : Koc: 1
Remarks: Highly mobile in soils

12.5 Results of PBT and vPvB assessment

Not relevant

12.6 Endocrine disrupting properties

No data available

12.7 Other adverse effects

Product:

Additional ecological
information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or
used container.
In accordance with local and national regulations.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number ADR



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable

: Inorganic substances in powdered form: Not applicable



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

	: Inorganic substances in vapour or gaseous form: Not applicable
	: Organic Substances: : portionClass 1: 1,76 %
	: Carcinogenic substances: Not applicable
	: Mutagenic: Not applicable
	: Toxic to reproduction: Not applicable
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 4,42 % 898,4 g/l VOC content excluding water
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 4,42 % 44,65 g/l VOC content valid only for coating materials used on wood surfaces
according to Detergents Regulation EC 648/2004	: <5% Anionic surfactants, Perfumes, LACTIC ACID

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H290	: May be corrosive to metals.
H302	: Harmful if swallowed.
H312	: Harmful in contact with skin.
H314	: Causes severe skin burns and eye damage.
H315	: Causes skin irritation.
H318	: Causes serious eye damage.
H319	: Causes serious eye irritation.
H335	: May cause respiratory irritation.

Full text of other abbreviations

Acute Tox.	: Acute toxicity
Eye Dam.	: Serious eye damage
Eye Irrit.	: Eye irritation
Met. Corr.	: Corrosive to metals
Skin Corr.	: Skin corrosion
Skin Irrit.	: Skin irritation
STOT SE	: Specific target organ toxicity - single exposure

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good



APESIN SANFIZZ 10X750 ML

WM 0714815

Order number: 0714815

Version 3.4

Revision Date 02.12.2022

Print Date 05.02.2023

Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TECI - Thailand Existing Chemicals Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

Further information

Classification of the mixture:

Skin Irrit. 2	H315
Eye Irrit. 2	H319

Classification procedure:

On basis of test data.
On basis of test data.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

REG_EU / EN