



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : SANET inoSmart 10 X 1 L
Identification number : 61794

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person :
Contact person : Product development / product safety

1.4 Emergency telephone number

+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Not a hazardous substance or mixture.

Safety data sheet available on request.

2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.
No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

citric acid	77-92-9 201-069-1 01-2119457026-42	Eye Irrit. 2; H319	$\geq 2 - < 5$
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319 $\geq 10,0$ % 1; H318	$\geq 1 - < 2$

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

- General advice : No hazards which require special first aid measures.
- If inhaled : Move to fresh air in case of accidental inhalation of dust or fumes from overheating or combustion.
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
- In case of eye contact : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.

4.2 Most important symptoms and effects, both acute and delayed

- Symptoms : No information available.
- Risks : No information available.

4.3 Indication of any immediate medical attention and special treatment needed

- Treatment : For specialist advice physicians should contact the Poisons Information Service.



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.

6.2 Environmental precautions

Environmental precautions : Try to prevent the material from entering drains or water courses.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralize with chalk, alkali solution or ammonia.
Sweep up and shovel.
Wipe up with absorbent material (e.g. cloth, fleece).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : For personal protection see section 8. No special handling advice required.



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Advice on common storage : No special restrictions on storage with other products.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

Contains no substances with occupational exposure limit values.

DNEL

Alcohols, C12-14, ethoxylated, sulfates, sodium salts
68891-38-3: : End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 2750 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 175 mg/m³

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 1650 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 52 mg/m³

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 15 mg/kg



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,132 mg/cm²

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term local effects
Value: 0,079 mg/cm²

PNEC

**citric acid
77-92-9:**

: Fresh water
Value: 0,44 mg/l

Marine water
Value: 0,044 mg/l

STP
Value: > 1000 mg/l

Fresh water sediment
Value: 34,6 mg/kg

Marine sediment
Value: 3,46 mg/kg

Soil
Value: 33,1 mg/kg

**Alcohols, C12-14, ethoxylated,
sulfates, sodium salts
68891-38-3:**

: Fresh water
Value: 0,24 mg/l

Marine water
Value: 0,024 mg/l

STP
Value: 10000 mg/kg

intermittent release
Value: 0,071 mg/l

Fresh water sediment
Value: 5,45 mg/kg

Marine sediment
Value: 0,545 mg/kg

Soil
Value: 0,946 mg/kg

8.2 Exposure controls



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

Personal protective equipment

Eye protection : not required under normal use

Hand protection

Material : not required under normal use

For prolonged or repeated contact use protective gloves.
Chemical resistant gloves made of butyl rubber or nitrile rubber
category III according to EN 374-1: 2003 (0,4 mm).

Remarks : Take note of the information given by the producer concerning
permeability and break through times, and of special workplace
conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

Respiratory protection : not required under normal use

Environmental exposure controls

General advice : Try to prevent the material from entering drains or water courses.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : red

Odour : characteristic

Odour Threshold : No data available

pH : 2,2

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Burning rate : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

Vapour pressure : No data available



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

Relative vapour density	: No data available
Relative density	: No data available
Density	: 1,024 g/cm ³
Water solubility	: soluble
Solubility in other solvents	: No data available
Partition coefficient: n-octanol/water	: No data available
Ignition temperature	: No data available
Thermal decomposition	: No data available
Viscosity, dynamic	: 460 mPa.s at 20 °C
Viscosity, kinematic	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : No hazards to be specially mentioned.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

- Skin corrosion/irritation : According to the classification criteria of the European Union, the product is not considered as being a skin irritant.
- Serious eye damage/eye irritation : According to the classification criteria of the European Union, the product is not considered as being an eye irritant.
- Respiratory or skin sensitisation : No data available
- Further information : No data available

Components:

citric acid

77-92-9:

- Acute oral toxicity : LD50 Oral Mouse: 5.400 mg/kg
Method: OECD Test Guideline 401
- LD50 Oral Rat: 11.700 mg/kg
Method: OECD Test Guideline 401
- LD50 Oral Mouse: 5.000 mg/kg
- LD50 Oral Rat: 3.000 mg/kg
- Acute dermal toxicity : LD50 Dermal Rat: > 2.000 mg/kg
- Acute toxicity (other routes of administration) : see user defined free text Rat: 725 mg/kg
Application Route: see user defined free text
- see user defined free text Mouse: 940 mg/kg
Application Route: see user defined free text
- Skin corrosion/irritation : Result: Mild skin irritation
- Serious eye damage/eye irritation : Result: Eye irritation
- Respiratory or skin sensitisation : Result: Does not cause skin sensitisation.
- Carcinogenicity - Assessment : Not classifiable as a human carcinogen.



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

Repeated dose toxicity : Rat: NOAEL: 4.000 mg/kg
LOAEL: 8.000 mg/kg
Application Route: Oral
Exposure time: 10 d

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity : LD50 Oral Rat: 4.100 mg/kg
Method: OECD Test Guideline 401
GLP: no

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg
Method: OECD Test Guideline 402
GLP: yes

Skin corrosion/irritation : Species: Rabbit
Method: OECD Test Guideline 404

Serious eye damage/eye irritation : Species: Rabbit
Method: OECD Test Guideline 405

Respiratory or skin sensitisation : Test Method: Maximisation Test
Species: Guinea pig
Result: Did not cause sensitisation on laboratory animals.
Method: OECD Test Guideline 406

Germ cell mutagenicity

Genotoxicity in vitro : Result: negative
Method: OECD Test Guideline 471

Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: > 300 mg/kg,
F1: > 300 mg/kg, Method: OECD Test Guideline 416

Teratogenicity : Species: Rat
Application Route: Oral
>1.000 mg/kg
> 1.000 mg/kg
Method: OECD Test Guideline 414

Repeated dose toxicity : Rat: NOAEL: > 225 mg/kg

Application Route: Oral
Exposure time: 90 Days
Method: OECD Test Guideline 408
Target Organs: Liver



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

STOT - repeated exposure : Exposure routes: Ingestion
Target Organs: Liver

SECTION 12: Ecological information

12.1 Toxicity

Components:

citric acid

77-92-9:

Toxicity to fish : LC50 (Leuciscus idus (Golden orfe)): 440 - 760 mg/l
Exposure time: 96 h
Method: OECD Test Guideline 203

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia magna (Water flea)): 1.535 mg/l
Exposure time: 24 h

EC50 (Daphnia magna (Water flea)): ca. 120 mg/l
Exposure time: 72 h

Toxicity to algae : NOEC (Scenedesmus quadricauda (Green algae)): 425 mg/l
Exposure time: 8 Days
Test Type: static test

Toxicity to bacteria : (Pseudomonas putida): > 10.000 mg/l
Exposure time: 16 h

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Toxicity to fish : LC50 (Danio rerio (zebra fish)): 7,1 mg/l
Exposure time: 96 h
Test Type: flow-through test
Method: OECD Test Guideline 203
GLP: yes

LC50 (Fish): > 1 - 10 mg/l
Test Type: semi-static test
Method: OECD Test Guideline 203

LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l
Method: OECD Test Guideline 203

NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l
Exposure time: 28 d
Test Type: flow-through test
Method: OECD Test Guideline 204

LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l
Test Type: flow-through test
Method: OECD Test Guideline 203

Toxicity to daphnia and other : EC50 (Daphnia pulex (Water flea)): 7,4 mg/l



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

aquatic invertebrates	: Test Type: Immobilization Method: OECD Test Guideline 202 EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 0,27 mg/l Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes EC50 (Scenedesmus subspicatus): 10 - 100 mg/l Method: OECD Test Guideline 201 EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition test Method: DIN 38412 GLP: yes EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 1,2 mg/l NOEC: 1 - 10 mg/l Species: Leuciscus idus (Golden orfe) NOEC: 0,14 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity) : NOEC: > 0,1 - 1 mg/l
Exposure time: 21 d
Species: Daphnia magna (Water flea)
Method: OECD Test Guideline 211

Toxicity to soil dwelling organisms : NOEC: 750 mg/kg
Exposure time: 96 d
Species: Eisenia fetida (earthworms)
Method: OECD Test Guideline 222

12.2 Persistence and degradability

Components:

citric acid

77-92-9:

Biodegradability : Result: Readily biodegradable.
Biodegradation: 97 %
Exposure time: 28 d
Method: OECD 301 B

Result: Readily biodegradable.
Biodegradation: 100 %
Exposure time: 19 d
Method: OECD 301 E

Biochemical Oxygen Demand (BOD) : 526 mg/g

Chemical Oxygen Demand (COD) : 728 mg/g

ThOD : 0,75 g/g

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability : Test Type: aerobic
Result: rapidly biodegradable
Biodegradation: > 70 %
Exposure time: 28 d
Method: OECD 301 A

12.3 Bioaccumulative potential

Components:

citric acid

77-92-9:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

Partition coefficient: n-octanol/water : log Pow: -1,72

Alcohols, C12-14, ethoxylated, sulfates, sodium salts



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

68891-38-3:

Bioaccumulation

: Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among

environmental compartments

: Adsorption/Soil

Medium: Soil

Koc: 191 Method: see user defined free text

12.5 Results of PBT and vPvB assessment

Product:

Assessment

: This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

Components:

citric acid

77-92-9:

Assessment

: This substance is not considered to be persistent, bioaccumulating and toxic (PBT).. This substance is not considered to be very persistent and very bioaccumulating (vPvB)..

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment

: This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information

: There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product

: Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging

: Empty remaining contents.
Empty containers should be taken to an approved waste handling site for recycling or disposal.



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

Waste Code

European Waste Catalogue
20 01 29*

According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.
TA Luft List (Germany) : Not applicable

: Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: Not applicable
: Organic Substances: Not applicable
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Percent volatile: 1 %
209,59 g/l
VOC content excluding water

Volatile organic compounds (VOC) content : Percent volatile: 1 %
10,29 g/l
VOC content valid only for coating materials used on wood surfaces

according to Detergents Regulation EC 648/2004 : <5% Anionic surfactants, Perfumes

GISBAU (D) : GS 10

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H412 Harmful to aquatic life with long lasting effects.

Further information

Classification procedure:

Calculation method



SANET inoSmart 10 X 1 L

WM 0713475

Order number: 0713475

Version 3.1

Revision Date 28.06.2018

Print Date 20.08.2019

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.