

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name : MANUDISH neoSmart 10X1 L
Identification number : 61848, 62245

1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent
Restricted to professional users.

1.3 Details of the supplier of the safety data sheet

Company : Tana Chemie GmbH
Rheinallee 96
55120 Mainz
Telephone : +49613196403
Telefax : +4961319642414
E-mail address : Produktsicherheit@werner-mertz.com
Responsible/issuing person
Contact person : Product development / product safety

1.4 Emergency telephone number

112
+49(0)6131-19240

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification (REGULATION (EC) No 1272/2008)

Eye irritation, Category 2 H319: Causes serious eye irritation.

2.2 Label elements

Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms :



Signal word : Warning

Hazard statements : H319 Causes serious eye irritation.

Precautionary statements : P102 Keep out of reach of children.

Response:
P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337 + P313 If eye irritation persists: Get medical advice/

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Disposal:
P501

attention.

Dispose of contents/ container to an approved waste disposal plant.

Safety data sheet available on request.

2.3 Other hazards

No information available.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	68891-38-3 01-2119488639-16	Skin Irrit. 2; H315 Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL 5 - < 10 % 2; H319 >= 10,0 % 1; H318	>= 10 - < 15
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts	147170-44-3 931-296-8 01-2119488533-30	Eye Dam. 1; H318 Aquatic Chronic 3; H412 SCL > 4 - 10 % 2; H319 > 10,0 % 1; H318	>= 4 - < 5
sodium octyl sulphate	142-31-4 205-535-5 01-2119966154-35	Skin Irrit. 2; H315 Eye Dam. 1; H318 SCL 10 - < 20 % 2; H319 >= 20,0 % 1; H318	>= 1 - < 2

For explanation of abbreviations see section 16.

SECTION 4: First aid measures

4.1 Description of first aid measures

General advice : Move out of dangerous area.
Consult a physician.
Show this safety data sheet to the doctor in attendance.

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

- | | |
|-------------------------|--|
| If inhaled | : Move to fresh air.
If symptoms persist, call a physician. |
| In case of skin contact | : Take off contaminated clothing and shoes immediately.
Wash off with soap and plenty of water.
If symptoms persist, call a physician. |
| In case of eye contact | : Protect unharmed eye.
If easy to do, remove contact lens, if worn.
Rinse immediately with plenty of water, also under the eyelids, for at least 15 minutes.
If eye irritation persists, consult a specialist. |
| If swallowed | : Clean mouth with water and drink afterwards plenty of water.
Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
Obtain medical attention. |

4.2 Most important symptoms and effects, both acute and delayed

- | | |
|----------|-----------------------------|
| Symptoms | : Irritation |
| Risks | : No information available. |

4.3 Indication of any immediate medical attention and special treatment needed

- | | |
|-----------|--|
| Treatment | : For specialist advice physicians should contact the Poisons Information Service. |
|-----------|--|

SECTION 5: Firefighting measures

5.1 Extinguishing media

- | | |
|------------------------------|---|
| Suitable extinguishing media | : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. |
|------------------------------|---|

5.2 Special hazards arising from the substance or mixture

- | | |
|--------------------------------------|---|
| Specific hazards during firefighting | : Do not allow run-off from fire fighting to enter drains or water courses. |
| Hazardous combustion products | : No hazardous combustion products are known |

5.3 Advice for firefighters

- | | |
|---|--|
| Special protective equipment for firefighters | : In the event of fire, wear self-contained breathing apparatus. |
| Further information | : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations. |

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.
Ensure adequate ventilation.

6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. Dispose of rinse water in accordance with local and national regulations.

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

7.2 Conditions for safe storage, including any incompatibilities

Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Store at room temperature in the original container.

Other data : No decomposition if stored and applied as directed.

7.3 Specific end use(s)

Specific use(s) : Cleaning agent

SECTION 8: Exposure controls/personal protection

8.1 Control parameters

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Contains no substances with occupational exposure limit values.

DNEL

Alcohols, C12-14, ethoxylated, sulfates, sodium salts 68891-38-3:	: End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 2750 mg/kg bw/day
	End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 175 mg/m3
	End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 1650 mg/kg bw/day
	End Use: Consumers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 52 mg/m3
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 15 mg/kg
	End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term local effects Value: 0,132 mg/cm2
	End Use: Consumers Exposure routes: Skin contact Potential health effects: Long-term local effects Value: 0,079 mg/cm2
1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 147170-44-3:	: End Use: Workers Exposure routes: Inhalation Potential health effects: Long-term systemic effects Value: 44 mg/m3
	End Use: Workers Exposure routes: Skin contact Potential health effects: Long-term systemic effects Value: 12,5 mg/kg
	End Use: Consumers Exposure routes: Ingestion Potential health effects: Long-term systemic effects Value: 7,5 mg/kg
	End Use: Consumers Exposure routes: Skin contact

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

sodium octyl sulphate
142-31-4:

Potential health effects: Long-term systemic effects
Value: 7,5 mg/kg

: End Use: Workers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 4060 mg/kg

End Use: Workers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 285 mg/m3

End Use: Consumers
Exposure routes: Skin contact
Potential health effects: Long-term systemic effects
Value: 2440 mg/kg

End Use: Consumers
Exposure routes: Inhalation
Potential health effects: Long-term systemic effects
Value: 85 mg/m3

End Use: Consumers
Exposure routes: Ingestion
Potential health effects: Long-term systemic effects
Value: 24 mg/kg

PNEC

Alcohols, C12-14, ethoxylated,
sulfates, sodium salts
68891-38-3:

: Fresh water
Value: 0,24 mg/l

Marine water
Value: 0,024 mg/l

Fresh water sediment
Value: 0,9168 mg/kg

Marine sediment
Value: 0,09168 mg/kg

Soil
Value: 7,5 mg/kg dry weight (d.w.)

STP
Value: 10000 mg/l

intermittent release
Value: 0,071 mg/l

Fresh water sediment
Value: 5,45 mg/kg

Marine sediment
Value: 0,545 mg/kg

1-Propanaminium, 3-amino-N- : Fresh water

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts 147170-44-3:	Value: 0,0135 mg/l	
	Marine water Value: 0,00135 mg/l	
	STP Value: 3000 mg/l	
	Marine sediment Value: 0,1 mg/kg	
	Soil Value: 0,8 mg/kg	
	sodium octyl sulphate 142-31-4:	: Fresh water Value: 0,1357 mg/l
	Marine water Value: 0,01357 mg/l	
	STP Value: 1,35 mg/l	
	Fresh water sediment Value: 1,5 mg/kg	
	Marine sediment Value: 0,15 mg/kg	
	Soil Value: 0,22 mg/kg	

8.2 Exposure controls

Personal protective equipment

Eye protection : If splashes are likely to occur, wear:
Tightly fitting safety goggles

Hand protection

Material : For prolonged or repeated contact use protective gloves.
It is suggested the usage of chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374-1: 2003 (0,4 mm).
As alternative, a different type of gloves might be used if, accordingly to the recommendations of the producer, guarantee the same level of protection.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : not required under normal use

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Respiratory protection : Not required; except in case of aerosol formation.
Recommended Filter type:
ABEK-P3-filter

Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : green

Odour : characteristic

Odour Threshold : No data available

pH : ca. 5,5, at 20 °C

Melting point/range : No data available

Boiling point/boiling range : No data available

Flash point : Not applicable

Evaporation rate : No data available

Flammability (solid, gas) : No data available

Flammability (liquids) : No data available

Burning rate : No data available

Lower explosion limit : No data available

Upper explosion limit : No data available

Vapour pressure : No data available

Relative vapour density : No data available

Relative density : No data available

Density : ca. 1,036 g/cm³ at 20 °C

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Thermal decomposition : No data available

Viscosity, dynamic : ca. 1.000 mPa.s at 20 °C

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Viscosity, kinematic : No data available
Explosive properties : No data available
Oxidizing properties : No data available

9.2 Other information

none

SECTION 10: Stability and reactivity

10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

10.2 Chemical stability

No decomposition if stored and applied as directed.

10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

10.4 Conditions to avoid

Conditions to avoid : No data available

10.5 Incompatible materials

Materials to avoid : No data available

10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.
Other information : No hazardous decomposition products are known.

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Product

Skin corrosion/irritation : May cause skin irritation in susceptible persons.

Serious eye damage/eye irritation : Vapours may cause irritation to the eyes, respiratory system and the skin.
Causes serious eye irritation.

Respiratory or skin sensitisation : No data available

Germ cell mutagenicity : Not Rated

Carcinogenicity : Not Rated

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Reproductive toxicity	: Not Rated
STOT - single exposure	: The substance or mixture is not classified as specific target organ toxicant, single exposure.
STOT - repeated exposure	: The substance or mixture is not classified as specific target organ toxicant, repeated exposure.
Aspiration toxicity	: Not Rated
Further information	: No data available

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Acute oral toxicity	: LD50 Oral Rat: 2.870 mg/kg Method: OECD Test Guideline 401
	LD50 Rat: 7.400 mg/kg Method: OECD Test Guideline 401
Acute dermal toxicity	: LD50 Rat: > 2.000 mg/kg Method: OECD Test Guideline 402 GLP: yes
Skin corrosion/irritation	: Species: Rabbit Method: OECD Test Guideline 404
Serious eye damage/eye irritation	: Species: Rabbit Method: OECD Test Guideline 405
Respiratory or skin sensitisation	: Result: Does not cause skin sensitisation.
Germ cell mutagenicity	
Genotoxicity in vitro	: Result: negative Method: OECD Test Guideline 471
Reproductive toxicity	: Species: Rat Application Route: Oral NOAEL: > 300 mg/kg, F1: > 300 mg/kg, Method: OECD Test Guideline 416
Teratogenicity	: Species: Rat Application Route: Oral >1.000 mg/kg > 1.000 mg/kg Method: OECD Test Guideline 414

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Repeated dose toxicity : NOAEL: 300 mg/kg

STOT - repeated exposure : Exposure routes: Ingestion
Target Organs: Liver

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Acute oral toxicity : LD50 Oral : > 8.000 mg/kg
Method: OECD Test Guideline 401

LD50 Rat: 2.335 mg/kg

Acute dermal toxicity : LD50 Rat: > 2.000 mg/kg

Reproductive toxicity : Species: Rat
Application Route: Oral
NOAEL: 300 mg/kg

Teratogenicity : Species: Rat
Application Route: Oral
1.000 mg/kg
100 mg/kg
Method: see user defined free text

Repeated dose toxicity : Rat, male and female: NOAEL: 300 mg/kg
Application Route: Oral
Exposure time: 90 d
Method: see user defined free text

sodium octyl sulphate

142-31-4:

Acute oral toxicity : LD50 Oral Rat: > 2.000 mg/kg
Method: OECD Test Guideline 423

Acute dermal toxicity : LD50 Dermal Rabbit: > 2.000 mg/kg
Method: OECD Test Guideline 402

Skin corrosion/irritation : Result: Skin irritation

Serious eye damage/eye irritation : Result: Causes serious eye damage.

Repeated dose toxicity : No observed adverse effect level: Rat: 488 mg/kg
Application Route: Oral
Method: OECD Test Guideline 408

Lowest observed adverse effect level: Rat: 1016 mg/kg

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Application Route: Oral
Method: OECD Test Guideline 408

No observed adverse effect level: Mouse: 400 mg/kg

Application Route: Dermal
Method: OECD Test Guideline 411

SECTION 12: Ecological information

12.1 Toxicity

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Toxicity to fish	: LC50 (Danio rerio (zebra fish)): 7,1 mg/l Exposure time: 96 h Test Type: flow-through test Method: OECD Test Guideline 203 GLP: yes LC50 (Fish): > 1 - 10 mg/l Test Type: semi-static test Method: OECD Test Guideline 203 LC50 (Leuciscus idus (Golden orfe)): 10 - 100 mg/l Method: OECD Test Guideline 203 NOEC (Oncorhynchus mykiss (rainbow trout)): 0,14 mg/l Exposure time: 28 d Test Type: flow-through test Method: OECD Test Guideline 204 LC50 (Brachydanio rerio (zebrafish)): 1 - 10 mg/l Test Type: flow-through test Method: OECD Test Guideline 203 LC50 (Brachydanio rerio (zebrafish)): 7,1 mg/l Exposure time: 96 h
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia pulex (Water flea)): 7,4 mg/l Exposure time: 48 h Test Type: Immobilization Method: OECD Test Guideline 202 EC50 (Daphnia magna (Water flea)): > 1 - 10 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202 NOEC (Daphnia magna (Water flea)): 0,27 mg/l Exposure time: 21 d Test Type: flow-through test Method: OECD Test Guideline 211

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

	(Daphnia magna (Water flea)): 7,2 mg/l Exposure time: 48 h
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 27,7 mg/l Exposure time: 72 h Test Type: Growth inhibition Method: OECD Test Guideline 201 GLP: yes EC50 (Scenedesmus subspicatus): 10 - 100 mg/l Method: OECD Test Guideline 201 EC50 (Desmodesmus subspicatus (green algae)): > 10 - 100 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201 NOEC : 0,95 mg/l Test Type: Growth inhibition Method: OECD Test Guideline 201 NOEC (Desmodesmus subspicatus (green algae)): 0,93 mg/l Exposure time: 72 h Test Type: static test Method: OECD Test Guideline 201
Toxicity to bacteria	: EC50 (Pseudomonas putida): > 10 g/l Exposure time: 16 h Test Type: Cell multiplication inhibition test Method: DIN 38412 GLP: yes EC10 (Pseudomonas putida): > 10 g/l Test Type: Cell multiplication inhibition test GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 1,2 mg/l NOEC: 1 - 10 mg/l Species: Leuciscus idus (Golden orfe) NOEC: 0,14 mg/l Exposure time: 28 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 204
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: > 0,1 - 1 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211
Toxicity to soil dwelling organisms	: NOEC: 750 mg/kg Exposure time: 96 d Species: Eisenia fetida (earthworms) Method: OECD Test Guideline 222

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Toxicity to fish	: LC50 (Calamus penna): 1,11 mg/l Exposure time: 96 h Test Type: semi-static test Method: OECD Test Guideline 203
	EC10 (Fish): 1,11 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): 6,5 mg/l Exposure time: 48 h Test Type: static test Method: OECD Test Guideline 202
	EC50 (Daphnia magna (Water flea)): 0,3 mg/l Exposure time: 21 d Method: OECD Test Guideline 211
Toxicity to algae	: EC50 (Desmodesmus subspicatus (green algae)): 1,5 mg/l Exposure time: 72 h GLP: yes
Toxicity to bacteria	: EC0 (Bacteria): > 3.000 mg/l GLP:
Toxicity to fish (Chronic toxicity)	: NOEC: 0,135 mg/l Exposure time: 100 d Species: Oncorhynchus mykiss (rainbow trout) Method: OECD Test Guideline 210 GLP: yes
Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	: NOEC: 0,32 mg/l Exposure time: 21 d Species: Daphnia magna (Water flea) Method: OECD Test Guideline 211 GLP: yes

sodium octyl sulphate

142-31-4:

Toxicity to fish	: LC50 (Brachydanio rerio (zebrafish)): > 100 mg/l Exposure time: 96 h Method: OECD Test Guideline 203
Toxicity to daphnia and other aquatic invertebrates	: EC50 (Daphnia magna (Water flea)): > 100 mg/l Exposure time: 48 h Method: OECD Test Guideline 202
Toxicity to algae	: EC50 : > 100 mg/l EC50 (Desmodesmus subspicatus (green algae)): > 511 mg/l Exposure time: 72 h
Toxicity to bacteria	: EC0 : > 100 mg/l
Toxicity to fish (Chronic toxicity)	: Lowest Observed Effect Concentration: > 1,357 mg/l

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Toxicity to daphnia and other aquatic invertebrates (Chronic toxicity)	Exposure time: 42 d
	Species: Pimephales promelas (fathead minnow)
:	NOEC: 1,4 mg/l
	Exposure time: 21 d
	Species: Daphnia magna (Water flea)
	Method: OECD Test Guideline 211

12.2 Persistence and degradability

Product:

Biodegradability : Remarks: The surfactant(s) contained in this preparation complies (comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents.

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Biodegradability	: Test Type: aerobic
	Result: rapidly biodegradable
	Biodegradation: > 70 %
	Exposure time: 28 d
	Method: OECD 301 A
	Test Type: anaerobic
	Result: Biodegradable
	Biodegradation: > 60 %
	Exposure time: 41 d

1-Propanaminium, 3-amino-N-(carboxymethyl)-N,N-dimethyl-, N-coco acyl derivs., hydroxides, inner salts

147170-44-3:

Biodegradability	: Test Type: aerobic
	Concentration: 20 mg/l
	Result: rapidly biodegradable
	Biodegradation: 92 %
	Exposure time: 28 d
	Method: OECD 301 B
	Test Type: anaerobic
	Concentration: 102,4 mg/l
	Biodegradation: 80 - 90 %
	Exposure time: 60 d
	Method: see user defined free text
	GLP: yes

Chemical Oxygen Demand (COD) : 1.000.000 mg/l

sodium octyl sulphate

142-31-4:

Biodegradability	: Biodegradation: 98,2 %
	Remarks: Expected to be biodegradable

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

12.3 Bioaccumulative potential

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

12.4 Mobility in soil

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Distribution among environmental compartments : Adsorption/Soil
Medium:Soil
Koc: 191Method: see user defined free text

12.5 Results of PBT and vPvB assessment

Components:

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

68891-38-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

12.6 Other adverse effects

Product:

Additional ecological information : There is no data available for this product.

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Do not re-use empty containers.

SECTION 14: Transport information

14.1 UN number

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.2 Proper shipping name

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

Not regulated as a dangerous good

14.3 Transport hazard class

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.4 Packing group

ADR

Not dangerous goods

IMDG

Not dangerous goods

IATA

Not dangerous goods

14.5 Environmental hazards

ADR

Not dangerous goods

IMDG

Not regulated as a dangerous good

IATA

Not dangerous goods

14.6 Special precautions for user

Remarks : Not classified as dangerous in the meaning of transport regulations.

For personal protection see section 8.

14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

REACH - Restrictions on the manufacture, placing on the market and use of certain dangerous substances, preparations and articles (Annex XVII) : See Annex XVII to Regulation (EC) no 1907/2006 for Conditions of restriction

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances. : Not applicable

TA Luft List (Germany) : Total dust: Not applicable
: Inorganic substances in powdered form: Not applicable
: Inorganic substances in vapour or gaseous form: : portionClass 3: 0,02 %
: Organic Substances: : portionClass 1: 0,99 %
: Carcinogenic substances: Not applicable
: Mutagenic: Not applicable

MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

	: Toxic to reproduction: Not applicable
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 0,34 % 21,42 g/l VOC content excluding water
Volatile organic compounds (VOC) content	: Directive 2010/75/EU of 24 November 2010 on industrial emissions (integrated pollution prevention and control) Update: Percent volatile: 0,34 % 3,5 g/l VOC content valid only for coating materials used on wood surfaces
according to Detergents Regulation EC 648/2004	: 5 - <15% Anionic surfactants, <5% Amphoteric surfactants, Non-ionic surfactants, LACTIC ACID
GISBAU (D)	: GU 30

15.2 Chemical safety assessment

SECTION 16: Other information

Full text of H-Statements

H315	Causes skin irritation.
H318	Causes serious eye damage.
H412	Harmful to aquatic life with long lasting effects.

Further information

Items where changes have been made to the previous version are highlighted in the body of this document by two vertical lines.

Classification procedure: H319 On basis of test data.

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL -



MANUDISH neoSmart 10X1 L

WM 0713649

Order number: 0713649

Version 6.0

Revision Date 08.05.2020

Print Date 24.08.2020

International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000004232