



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name : ENERGY PROKLIKS 5 LTR.  
Identification number : 64655

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Use of the Substance/Mixture : Cleaning agent  
Restricted to professional users.

#### 1.3 Details of the supplier of the safety data sheet

Company : tana Chemie GmbH  
Rheinallee 96  
55120 Mainz  
Telephone : +49613196403  
Telefax : +4961319642414  
E-mail address : Produktsicherheit@werner-mertz.com  
Responsible/issuing person  
Contact person : Product development / product safety

#### 1.4 Emergency telephone number

+49(0)6131-19240

### SECTION 2: Hazards identification


#### 2.1 Classification of the substance or mixture

##### Classification (REGULATION (EC) No 1272/2008)

Corrosive to metals, Category 1 H290: May be corrosive to metals.  
Skin corrosion, Category 1B H314: Causes severe skin burns and eye damage.  
Serious eye damage, Category 1 H318: Causes serious eye damage.

#### 2.2 Label elements

##### Labelling (REGULATION (EC) No 1272/2008)

Hazard pictograms : 

Signal word : Danger

Hazard statements : H290 May be corrosive to metals.



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

Precautionary statements	:	<p>H314 Causes severe skin burns and eye damage.</p> <p>P102 Keep out of reach of children.</p> <p><b>Prevention:</b></p> <p>P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.</p> <p><b>Response:</b></p> <p>P301 + P330 + P331 IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.</p> <p>P303 + P361 + P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.</p> <p>P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/doctor.</p> <p>P310</p> <p><b>Disposal:</b></p> <p>P501 Dispose of contents/ container to an approved waste disposal plant.</p>
--------------------------	---	---

Hazardous components which must be listed on the label:  
sodium hydroxide

**Additional Labelling:**

Safety data sheet available on request.

### 2.3 Other hazards

This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher.  
No information available.

## SECTION 3: Composition/information on ingredients

### 3.2 Mixtures

#### Hazardous components

Chemical name	CAS-No. EC-No. Registration number	Classification	Concentration (% w/w)
sodium hydroxide	1310-73-2 215-185-5 01-2119457892-27-XXXX	Met. Corr. 1; H290 Skin Corr. 1A; H314  SCL ≥ 5 % 1A; H314 2 - < 5 % 1B; H314 0,5 - < 2 % 2; H315 0,5 - < 2 % 2; H319	≥ 10 - < 15



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

potassium hydroxide	1310-58-3 215-181-3 01-2119487136-33	Acute Tox. 4; H302 Skin Corr. 1A; H314 Met. Corr. 1; H290  SCL >= 5 % 1A; H314 2 - < 5 % 1B; H314 0,5 - < 2 % 2; H315 0,5 - < 2 % 2; H319	>= 5 - < 10
tetrasodium (1-hydroxyethylidene)bisphosphonate	3794-83-0 223-267-7 01-2119510382-52	Acute Tox. 4; H302 Eye Irrit. 2; H319	>= 1 - < 2

For explanation of abbreviations see section 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

- General advice : Move out of dangerous area.  
Consult a physician.  
Show this safety data sheet to the doctor in attendance.
- If inhaled : Move to fresh air.  
If symptoms persist, call a physician.
- In case of skin contact : Take off contaminated clothing and shoes immediately.  
Wash off with soap and plenty of water.  
Immediate medical treatment is necessary as untreated wounds from corrosion of the skin heal slowly and with difficulty.
- In case of eye contact : Small amounts splashed into eyes can cause irreversible tissue damage and blindness.  
Protect unharmed eye.  
Continue rinsing eyes during transport to hospital.
- If swallowed : Clean mouth with water and drink afterwards plenty of water.  
Do NOT induce vomiting.  
Do not give milk or alcoholic beverages.  
Never give anything by mouth to an unconscious person.  
Take victim immediately to hospital.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms : corrosive effects

Risks : No information available.

#### 4.3 Indication of any immediate medical attention and special treatment needed

Treatment : For specialist advice physicians should contact the Poisons



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

Information Service.

---

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.

#### 5.2 Special hazards arising from the substance or mixture

Specific hazards during firefighting : Do not allow run-off from fire fighting to enter drains or water courses.

Hazardous combustion products : No hazardous combustion products are known

#### 5.3 Advice for firefighters

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

Further information : Collect contaminated fire extinguishing water separately. This must not be discharged into drains. Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

---

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

Personal precautions : Use personal protective equipment.  
Ensure adequate ventilation.  
Evacuate personnel to safe areas.

#### 6.2 Environmental precautions

Environmental precautions : Do not flush into surface water or sanitary sewer system.

#### 6.3 Methods and materials for containment and cleaning up

Methods for cleaning up : Neutralise with acid.  
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).  
Keep in suitable, closed containers for disposal.

#### 6.4 Reference to other sections

For personal protection see section 8., Treat recovered material as described in the section "Disposal considerations"., Refer to section 15 for specific national regulation.



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

- Advice on safe handling : Avoid contact with skin and eyes. For personal protection see section 8. Smoking, eating and drinking should be prohibited in the application area. To avoid spills during handling keep bottle on a metal tray. Dispose of rinse water in accordance with local and national regulations.
- Advice on protection against fire and explosion : Normal measures for preventive fire protection.
- Hygiene measures : Handle in accordance with good industrial hygiene and safety practice. When using do not eat or drink. When using do not smoke. Wash hands before breaks and at the end of workday.

#### 7.2 Conditions for safe storage, including any incompatibilities

- Requirements for storage areas and containers : Store in original container. Keep container tightly closed in a dry and well-ventilated place. Containers which are opened must be carefully resealed and kept upright to prevent leakage. Store at room temperature in the original container.
- Other data : No decomposition if stored and applied as directed.

#### 7.3 Specific end use(s)

- Specific use(s) : Cleaning agent

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

Contains no substances with occupational exposure limit values.

#### DNEL

**sodium hydroxide**  
**1310-73-2:** : End Use: Workers  
Exposure routes: Inhalation  
Potential health effects: Long-term local effects  
Value: 1 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term local effects  
Value: 1 mg/m<sup>3</sup>

**potassium hydroxide**  
**1310-58-3:** : End Use: Workers  
Exposure routes: Inhalation



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

Potential health effects: Long-term local effects  
Value: 1 mg/m<sup>3</sup>

End Use: Consumers  
Exposure routes: Inhalation  
Potential health effects: Long-term local effects  
Value: 1 mg/m<sup>3</sup>

### 8.2 Exposure controls

#### Personal protective equipment

Eye protection : Tightly fitting safety goggles

#### Hand protection

Material : Chemical resistant gloves made of butyl rubber or nitrile rubber category III according to EN 374.

Remarks : Take note of the information given by the producer concerning permeability and break through times, and of special workplace conditions (mechanical strain, duration of contact).

Skin and body protection : Choose body protection according to the amount and concentration of the dangerous substance at the work place.  
Remove and wash contaminated clothing before re-use.

Respiratory protection : Not required; except in case of aerosol formation.  
Recommended Filter type:  
ABEK-P3-filter

#### Environmental exposure controls

General advice : Do not flush into surface water or sanitary sewer system.

## SECTION 9: Physical and chemical properties

### 9.1 Information on basic physical and chemical properties

Appearance : liquid

Colour : brown

Odour : characteristic

Odour Threshold : No data available

pH : ca. 12,4, at 20 °C

Melting point/range : No data available

Boiling point/boiling range : No data available



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

Flash point	: Not applicable
Evaporation rate	: No data available
Flammability (solid, gas)	: No data available
Burning rate	: No data available
Lower explosion limit	: No data available
Upper explosion limit	: No data available
Vapour pressure	: No data available
Relative vapour density	: No data available
Relative density	: No data available
Density	: ca. 1,324 g/cm <sup>3</sup> at 20 °C

Water solubility : soluble

Solubility in other solvents : No data available

Partition coefficient: n-octanol/water : No data available

Ignition temperature : No data available

Thermal decomposition : No data available

Viscosity, dynamic : No data available

Viscosity, kinematic : No data available

Explosive properties : No data available

Oxidizing properties : No data available

### 9.2 Other information

none

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Stable under recommended storage conditions., No dangerous reaction known under conditions of normal use.

### 10.2 Chemical stability

No decomposition if stored and applied as directed.

### 10.3 Possibility of hazardous reactions

Hazardous reactions : Stable under recommended storage conditions., No decomposition if used as directed.

### 10.4 Conditions to avoid

Conditions to avoid : No data available



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

### 10.5 Incompatible materials

Materials to avoid : No data available

### 10.6 Hazardous decomposition products

Hazardous decomposition products : No hazardous decomposition products are known.  
Other information : No hazardous decomposition products are known.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

#### Product

Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg  
Method: Calculation method

Skin corrosion/irritation : Extremely corrosive and destructive to tissue.

Serious eye damage/eye irritation : May cause irreversible eye damage.

Respiratory or skin sensitisation : No data available

Further information : No data available

#### Components: **sodium hydroxide** **1310-73-2:**

Acute oral toxicity : LD50 Oral Rat: 2.000 mg/kg

Skin corrosion/irritation : Result: Corrosive

Serious eye damage/eye irritation : Result: Corrosive

#### **potassium hydroxide** **1310-58-3:**

Acute oral toxicity : LD50 Rat: 273 mg/kg

Acute toxicity estimate : 500 mg/kg  
Method: Converted acute toxicity point estimate

LD50 Oral Rat, male: 333 mg/kg  
Method: OECD Test Guideline 425

Skin corrosion/irritation : Result: Corrosive





## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

- Serious eye damage/eye irritation : Species: Rabbit  
Result: Corrosive  
Method: OECD Test Guideline 405
- Respiratory or skin sensitisation : Species: Guinea pig  
Result: Did not cause sensitisation on laboratory animals.
- Germ cell mutagenicity
- Genotoxicity in vitro : Type: Ames test  
Test species: Salmonella typhimurium  
Result: negative

### tetrasodium (1-hydroxyethylidene)bisphosphonate

3794-83-0:

- Acute oral toxicity : Acute toxicity estimate : > 2.000 mg/kg  
Method: Calculation method

## SECTION 12: Ecological information

### 12.1 Toxicity

#### Product:

#### Components:

##### sodium hydroxide

1310-73-2:

- Toxicity to fish : LC50 (Fish): 33 - 189 mg/l  
Exposure time: 96 h
- LC50 (Gambusia affinis (Mosquito fish)): 125 mg/l  
Exposure time: 96 h
- LC50 (Poecilia reticulata (guppy)): 76 mg/l  
Exposure time: 24 h

- Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): 40,4 mg/l

EC50 (Daphnia magna (Water flea)): 76 mg/l  
Exposure time: 24 h

- Toxicity to bacteria : EC50 (Photobacterium phosphoreum): 22 mg/l  
Exposure time: 15 min

##### potassium hydroxide

1310-58-3:

- Toxicity to fish : (Pimephales promelas (fathead minnow)): 880 mg/l  
Exposure time: 96 h



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

Test Type: static test

LC50 (*Gambusia affinis* (Mosquito fish)): 80 mg/l  
Exposure time: 96 h

LC50 (*Poecilia reticulata* (guppy)): 165 mg/l  
Exposure time: 24 h

Toxicity to daphnia and other aquatic invertebrates : EC50 (*Daphnia magna* (Water flea)): 660 mg/l  
Exposure time: 48 h  
Test Type: static test

Toxicity to algae : EC50 : 1.337 mg/l  
Exposure time: 120 h

Toxicity to bacteria : EC50 (*Photobacterium phosphoreum*): 22 mg/l  
Exposure time: 15 min

Toxicity to soil dwelling organisms : LC50: 850 mg/kg  
Exposure time: 90 d

### **tetrasodium (1-hydroxyethylidene)bisphosphonate 3794-83-0:**

Toxicity to fish : LC50 (*Leuciscus idus* (Golden orfe)): 7,5 mg/l  
Exposure time: 96 h  
Method: OECD Test Guideline 203

Toxicity to bacteria : EC10 : 61 mg/l  
Method: DIN 38412

## 12.2 Persistence and degradability

### **Components:**

#### **sodium hydroxide 1310-73-2:**

Biodegradability : Remarks: The methods for determining the biological degradability are not applicable to inorganic substances.

#### **tetrasodium (1-hydroxyethylidene)bisphosphonate 3794-83-0:**

Biodegradability : Biodegradation: 96 %  
Method: OECD 301 D

## 12.3 Bioaccumulative potential

### **Components:**

#### **sodium hydroxide 1310-73-2:**

Bioaccumulation : Species: Fish  
Remarks: No bioaccumulation is to be expected (log Pow <= 4).

#### **potassium hydroxide 1310-58-3:**



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

Bioaccumulation : Remarks: Bioaccumulation is unlikely.

### 12.4 Mobility in soil

No data available

### 12.5 Results of PBT and vPvB assessment

#### Product:

Assessment : This substance/mixture contains no components considered to be either persistent, bioaccumulative and toxic (PBT), or very persistent and very bioaccumulative (vPvB) at levels of 0.1% or higher..

#### Components:

potassium hydroxide

1310-58-3:

Assessment : This substance is not considered to be very persistent and very bioaccumulating (vPvB).. This substance is not considered to be persistent, bioaccumulating and toxic (PBT)..

### 12.6 Other adverse effects

#### Product:

Additional ecological information : There is no data available for this product.

## SECTION 13: Disposal considerations

### 13.1 Waste treatment methods

Product : Do not dispose of waste into sewer.  
Do not contaminate ponds, waterways or ditches with chemical or used container.  
Offer surplus and non-recyclable solutions to a licensed disposal company.

Contaminated packaging : Empty remaining contents.  
Dispose of as unused product.  
Do not re-use empty containers.

Waste Code : European Waste Catalogue  
200129  
According to the European Waste Catalogue, Waste Codes are not product specific, but application specific. Waste codes should be assigned by the user, preferably in discussion with the waste disposal authorities.

## SECTION 14: Transport information

### 14.1 UN number

ADR : 1719  
IMDG : 1719  
IATA : 1719



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

### 14.2 Proper shipping name

<b>ADR</b>	:	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide)
<b>IMDG</b>	:	CAUSTIC ALKALI LIQUID, N.O.S. (sodium hydroxide, potassium hydroxide)
<b>IATA</b>	:	Caustic alkali liquid, n.o.s. Not permitted for transport

### 14.3 Transport hazard class

<b>ADR</b>	:	8
<b>IMDG</b>	:	8
<b>IATA</b>	:	8

### 14.4 Packing group

<b>ADR</b>		
Classification Code	:	C5
Packaging group	:	II
Hazard Identification Number	:	80
Labels	:	8
Tunnel restriction code	:	(E)
<b>IMDG</b>		
Packaging group	:	II
Labels	:	8
EmS Number	:	F-A, S-B
<b>IATA</b>		
<b>(Cargo)</b>	:	Caustic alkali liquid, n.o.s. Not permitted for transport
Packaging group	:	II
Labels	:	8

### 14.5 Environmental hazards

<b>ADR</b>		
Environmentally hazardous	:	no
<b>IMDG</b>		
Marine pollutant	:	no
<b>IATA</b>		
Environmentally hazardous	:	no

### 14.6 Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

For personal protection see section 8.

### 14.7 Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.

## SECTION 15: Regulatory information

### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture



## ENERGY PROKLIKS 5 LTR.

WM 1114264

Order number: 0714264

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

Regulation (EC) No 649/2012 of the European Parliament and the Council concerning the export and import of dangerous chemicals : Not applicable

Seveso III: Directive 2012/18/EU of the European Parliament and of the Council on the control of major-accident hazards involving dangerous substances.

TA Luft List (Germany) : Total dust: Not applicable  
: Inorganic substances in powdered form: Not applicable  
: Inorganic substances in vapour or gaseous form: : portionClass 3: 0,25 %  
: Organic Substances: Not applicable  
: Carcinogenic substances: Not applicable  
: Mutagenic: Not applicable  
: Toxic to reproduction: Not applicable

Volatile organic compounds (VOC) content : Not applicable

according to Detergents Regulation EC 648/2004 : <5% Phosphonates, Polycarboxylates

GISBAU (D) : no assignment possible

### 15.2 Chemical safety assessment

## SECTION 16: Other information

### Full text of H-Statements

H290 May be corrosive to metals.  
H302 Harmful if swallowed.  
H314 Causes severe skin burns and eye damage.  
H319 Causes serious eye irritation.

### Further information

Classification procedure: H290 Calculation method  
H314 On basis of test data.  
H318 Based on product data or assessment

ADN - European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways; ADR - European Agreement concerning the International Carriage of Dangerous Goods by Road; AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CLP - Classification Labelling Packaging Regulation; Regulation (EC) No 1272/2008; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DSL - Domestic Substances List (Canada); ECHA - European Chemicals Agency; EC-Number - European Community number; ECx - Concentration associated with x% response; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx -



## **ENERGY PROKLIKS 5 LTR.**

**WM 1114264**

**Order number: 0714264**

Version 5.5

Revision Date 28.06.2018

Print Date 20.08.2019

Concentration associated with x% growth rate response; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECS - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; n.o.s. - Not Otherwise Specified; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RID - Regulations concerning the International Carriage of Dangerous Goods by Rail; SADT - Self-Accelerating Decomposition Temperature; SDS - Safety Data Sheet; SVHC - Substance of Very High Concern; TCSI - Taiwan Chemical Substance Inventory; TRGS - Technical Rule for Hazardous Substances; TSCA - Toxic Substances Control Act (United States); UN - United Nations; vPvB - Very Persistent and Very Bioaccumulative

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

500000004575